



ALTEX

ALTERNATIVES TO ANIMAL EXPERIMENTATION

Thomas Hartung
Thresholds of Toxicological
Concern - Setting a
threshold for testing below
which there is little concern


Research Article
Andrea Gissi et al.
Alternative acute oral
toxicity assessment under
REACH based on
sub-acute toxicity values

David Pamies et al.

A human brain
microphysiological
system derived from
induced pluripotent
stem cells to study
neurological diseases
and toxicity

Research Article

Research Article
Weihsueh A. Chiu, Fred A.
Wright and Ivan Rusyn
A tiered, Bayesian
approach to estimating
population variability
for regulatory
decision-making



Research Article
Julie Mollergues et al.
Incorporation of a
metabolizing system in
biodetection assays for
endocrine active substances

Research Article
Zhichao Liu et al.
In vitro to in vivo
extrapolation for
drug-induced liver injury
using a pair ranking
method

Review Article
Kris A. Descovich et al.
Facial expression:
An under-utilized tool
for the assessment
of welfare in mammals

Short communication Letter Meeting reports Calendar Corners News



Dear readers,

this issue of ALTEX strikes a balance between exciting *in vitro* work towards improving prediction of neurotoxicants, endocrine active substances and eye irritants, and analytical approaches, harnessing the power of existing data to deduce toxicological concerns and inform regulatory decisions.

Thomas Hartung explains the concept of thresholds of toxicological concern in his Food for Thought ... contribution. Highly sensitive chemical analytical methods now let us detect the tiniest amounts of chemical contaminants in regulated products. Do we have to test each such contaminant for possible toxicological effects? Where can we draw a line and comfortably state that traces of substances in amounts below this threshold are not going to have effects on people or the environment? And what scenarios can this approach be applied to?

Andrea Gissi and colleagues from ECHA have analyzed data from REACH dossiers following the hypothesis that data from one type of *in vivo* toxicity test, the sub-acute oral toxicity test in mice, can be used to predict the outcome of another toxicity test, i.e., the acute oral toxicity test. They reach the conclusion that this is indeed the case with the immediate consequence that the latter test must now no longer be done for REACH purposes if data for the former test is available and indicates no toxicity at high doses.

The "mini-brain" already has raised much interest in the news. The seminal publication in this issue on the culture and characterization of these brain microphysiological systems reported by David Pamies and collaborators presents beautiful images of 300 nm spheres derived from induced pluripotent stem cells made up of neurons whose axons are wrapped in myelin and that generate electric signals. They promise to provide a kaleidoscope of insights into the effects of toxicants on the nervous system but also on the malfunctions that occur in neurological diseases when the mini-brains are generated using cells from patients.

In vitro experiments are often based on cells derived from a single person. Chiu and colleagues examine how large the response variability will be in a large population based on data derived from about 1000 cell lines from different people. On this basis, they develop a strategy by which to determine population variability to improve the definition of safety factors.

Building on the knowledge that some substances only gain the ability to modulate the human hormonal system through metabolism in the liver, Julie Mollergues et al. have modified *in vitro* assays measuring activation or interference with the estrogen or androgen receptors by adding a metabolizing system. They elegantly show how the activation of some substances by the metabolizing system reveals their potential endocrine activity.

Zhichao Liu and colleagues addressed themselves to the task of extrapolating *in vitro* toxicity results to predicting risk in humans by comparing datasets for chemicals each tested on primary human cells, primary rat cells and live rats. They find a better correlation between the responses of rat cells and live rats than between the liver cells or the two species, suggesting that human liver cells will predict human liver toxicity better than experiments on live rats.

How can we find out how experimental animals are feeling if we cannot ask them? Kris Descovich and colleagues explain how the assessment of facial expression using validated tools can be used not only for pain assessment but also for overall welfare assessment.

In a short communication, Karsten Mewes et al. report on a ring trial of two new variations on *in vitro* eye irritation testing based on bioartificial equivalents of the human cornea.

The current importance of analytical approaches again becomes evident in the news, where the REACH Report on the use of alternative methods demonstrates it is the *in silico* methods, i.e., read-across, weight of evidence and QSAR, which are being used most predominately to avoid animal testing as *in vitro* methods are accepted only for few endpoints and they have still not supplanted the *in vivo* tests.

Recent regulatory development initiatives to ban animal testing for cosmetics in Guatemala and Australia are promising as well as the revision of the US Pharmacopeia to include *in vitro* pyrogen tests which can replace respective tests in rabbits. Also, a bill has been introduced to US Congress that would require the reporting of all animal species and numbers used for toxicity testing conducted or demanded by federal agencies. At last the numbers of laboratory rodents and birds, even if only those used for toxicity testing (probably about 10% of total use), would at least be documented if the bill is passed.

The Tenth World Congress on Alternatives and Animal Use in the Life Sciences will bring together hundreds of eminent and young scientists in Seattle this summer to forge new collaborations and report and give feedback on new approaches. ALTEX joins the organizers in wishing all participants safe travels and a successful, inspiring anniversary meeting.

Sonja von Aulock Editor in chief, ALTEX

U2 ALTEX 34(3), 2017



ABSTRACT DEADLINE: MARCH 31, 2017

TENTH WORLD CONGRESS

ALTERNATIVES AND ANIMAL USE IN THE LIFE SCIENCES

3Rs IN ACTION

for more information visit our website at wc10seattle.org

Subscribe to ALTEX

Support open access publication of 3Rs research



Please send completed form to the above address.

SUBSCRIPTION SERVICE

ALTEX Edition, Weinmanngasse 86 8700 Kuesnacht ZH, Switzerland

Phone: +41 44 380 0830, Fax: +41 44 380 0832

e-mail: subs@altex.ch

First name	ALTEX (four issues):
	□ Individual subscription \$ 120 / 102 €
Last name Institute/Library	□ Library \$ 240 / 204 € (companies, institutes, libraries)
(if applicable)	Reduced \$ 62 / 55 € (students, animal protection organizations, selected scientific societies)
Address	Prices include postage for all countries.
	The subscription is automatically renewed unless it is cancelled by the end of the year.
State	I want to pay by □ credit card □ check
Zip code	□ electronic bank transfer □ please send me an invoice
Country	
e-mail	
Date/signature	

ALTEX is available online:

http://altweb.jhsph.edu/altex and www.altex-edition.org